DATA2010 ...the Healthy People 2010 Database - April, 2004 Edition - 07/01/04 - 3:11 Objective: 16-01

		Base line	Base line Base						
	Objective		line	1998	1999	2000	2001	2002	: a
6-03-	Fetal deaths at 20 or more weeks		-						
10-014	of gestation (per 1,000 live								
	births plus fetal deaths)	1997	6.8	6.7	,6.7	6.6	6.5	-	•
	Mother's race and ethnicity American Indian or Alaska Native	1007	6 7	E D	c 1	5.5	E 0		
	Asian or Pacific Islander	1997 1997		5.9 5.1	6.1 5.4	5.2	5.9 5.2		
	Asian Of Facility Islander	1997		4.2	4.3	3.9	4.0		
	Native Hawaiian or Other Pacific	1001	7.2	4.2	4.5	3.5	4.0		
	Islander	1997	6.2	6.3	6.5	6.5	5.8		
	Black or African American		12.5	12.3	12.6	12.4			
	White	1997		5.7	5.7	5.6	5.5		
	Hispanic or Latino	1997		5.7	5.8	5.8	5.6		
	Not Hispanic or Latino	1997	6.3	6.4	6.6	6.4	6.4		
	Black or African American, not								
	Hispanic/Latino	1997	a\11.3	11.2	12.1	11.9	11.6		
	White, not Hispanic or Latino	1997	5.2	5.3	5.3	5.2	5.2	~	
	Gender								
	Female	1997	6.5	6.4	6.4	6.3	6.2	~	
	Male	1997	7.1	.7.0	7.0	6.9	6.8	~	
	Mother's Education level (aged 20								
	years and over)			,					
	Less than high school		a\6.2	6.1	6.2	6.1	5.9		
	High school graduate	1997		6.6	6.8	6.6	6.6	~- - .	
	At least some college	1997	4.8	4.8	4.8	4.7	4.7	~	
	Mother's disability status Mothers with disabilities	1007	Dura	DMG	D110	DUG	2110		
	Mothers with disabilities Mothers without disabilities	1997		DNC	DNC	DNC	DNC ·		
	Select populations	1997	DINC	DNC	DNC	DŃC	DNC		
	Mother's age groups				•			t	
		1997	14 2	12.5	12.3	119	14.4		
		1997		7.7		7.7	7.4		. ,
	Mothers aged 20 to 24 years	1997		6.4	6.4	6.3	6.3	~	
	Mothers aged 25 to 29 years	1997		5.8	5.9	5.8	5.7		
	Mothers aged 30 to 34 years	1997		6.2	6.3	6.0	6.0		
	Mothers aged 35 years and older		a\9.0	9.1	8.9	8.7	8.6		
	Fetal weight								
	>2,499g	1997	1.3	1.3	1.3	1.3	1.3		
	>1,500 to 2,499g	1997	16.8	15.8	15.8	15.5			
	<1,500g	1997	213.1	209.6		209.2			
6-01b	Perinatal mortality rate (28 weeks								
	or more gestation to less than 7								
	days after birth) (per 1,000 live								
	births plus fetal deaths)	1997	a\7.3	7.2	7.1	7.0	6.9		
	Mother's race and ethnicity				· - -				
	American Indian or Alaska Native	1997	a\7.7	7.3	7.3	6.4	6.7		
	Asian or Pacific Islander		a\5.1	5.5	5.5	5.5	5,2		
	Asian		a\4.5	4.9	4.6	4.7	4.1	-	
	Native Hawaiian or Other Pacific						_		
	Islander		a\7.1	7.7	6.5	7.5	5.5		
	Black or African American	1997	a\13.1	12 9	12.9	12.7	12.5		

http://wonder.cdc.gov/scripts/broker.exe

	White Hispanic or Latino		a\6.3 a\6.3	6.2 6.2	6.1 6.2	5.9 6.1	5.9 5.9	 -
	Not Hispanic or Latino	1997		7.1	7.1	7.0	6.9	 _
	Black or African American, not							
	Hispanic/Latino		a\12.6		12.8	12.6	12.4	 -
	White, not Hispanic or Latino	1997	6.0	5.9	5.8	5.7	5.7	 -
	Gender	1007	<i>c</i> 0	<i>c</i> 0	<i>c</i> ¬	<i>c c</i>	~ 4	
	Female Male	1997		6.8	6.7	6.6	6.4	 <u>-</u>
	Mother's Education level (aged 20	1997	1.1	7.6	7.5	7.4	7.4	 -
	years and over)							
	Less than high school	1997	7.4	7.3	7.2	7.2	7.0	 _
	High school graduate	1997		7.6	7.5	7.2	7.2	 _
	At least some college	1997		5.4	5.2	5.3	5.2	 -
	Mother's disability status							
	Mothers with disabilities	1997	DNC	DNC	DNC	DNC	DNC	 -
	Mothers without disabilities	1997	DNC	DNC	DNC	DNC	DNC	 -
	Select populations							
	Mother's age groups	1007	100	12.0		15.0		
	Mothers aged under 15 years Mothers aged 15 to 19 years		13.7	13.9	14.5	15.2 8.2	14.7 8.1	 ~
	Mothers aged 15 to 19 years Mothers aged 20 to 24 years	1997 1997		8.4 7.2	8.5 7.0	6.9	6.9	 _
	Mothers aged 20 to 24 years Mothers aged 25 to 29 years	1997		6.4	6.3	6.3	6.2	 _
	Mothers aged 30 to 34 years	1997		6.6	6.5	6.3	6.2	 ~
	Mothers aged 35 years and older	1997		8.9	8.8	8.4	8.4	 _
	Fetal weight		-	* * -				
	>2,499g	1997	1.9	1.9	1.8	1.8	1.8	
	>1,500 to 2,499g		23.2	22.0	21.9	21.5	20.8	 ~
	<1,500g	1997	249.1	243.5	240.6	239.2	238.1	 ~
16 01 0	Mil Tofort double to the d							
10-010	All Infant deaths (within 1 year) (per 1,000 live births)	-1998	7 2	NA	7.0	6.9	6.8	
	Mother's race and ethnicity	, 1990	1.2	1447	7.0	0.3	0.0	 -
	American Indian or Alaska Native	1998	9.3	NA	9.3	8.3	9.7	 _
	Asian or Pacific Islander	1998		NA	4.8	4.9	4.7	
		1998	5.0	NA	4.3	4.5	4.1	 _
	Native Hawaiian or Other Pacific							
	Islander		10.0	NA	7.1	8.2	7.6	 -
		1998		NA	14.0	13.5	13.3	 _
		1998		NA	5.8	5.7	5.7	 ~
	Hispanic or Latino Not Hispanic or Latino	1998		NA	5.7	5.6	5.4	 _
	Black or African American, not	1998	7.5	AN	7.3	7.2	7.1	 -
	Hispanic/Latino	1998	13.9	NA	14.1	13.6	13.5	 _
	White, not Hispanic or Latino	1998		NA	5.8	5.7	5.7	 _
	Gender							
	Female	1998	6.5	NA	6.3	6.2	6.1	 -
	Male	1998	7.8	NA	7.7	7.5	7.5	 -
	Mother's Education level (aged 20							
	years and over)							
	Less than high school High school graduate		a\8.2	NA	8.0	7.9	7.6	 -
	At least some college	1998	a\7.6	NA NA	7.4	7.3	7.3	 _
	Mother's disability status	1330	J.J	NA	5.1	5.0	5.1	 _
	Mothers with disabilities	1998	DNC	NA	DNC	DNC	DNC	 _
	Mothers without disabilities	1998		NA	DNC	DNC	DNC	 ~
	Select populations		-	-				
	Mother's age groups							
	Mothers aged under 15 years		18.4	NA	17.0	17.7	16.1	 -
	Mothers aged 15 to 19 years	1998	10.0	NA	10.2	9.8	9.9	 -

http://wonder.cdc.gov/scripts/broker.exe

	Mothers aged 20 to 24 years	1998	7.8	NA	7.8	7.6	7.6		-
	Mothers aged 25 to 29 years	1998	6.3	NA	6.0	6.1	6.1		_
	Mothers aged 30 to 34 years	1998		NA	5.8	5.6	5.4		_
	Mothers aged 35 years and older	1998		NA	6.9	6.6	6.9		_
		1990	,	INT	0.9	0.0	0.9		
	Birth weight								
	>2,499g	1998		NA	2.5	2.5	2.4		-
	1,500 to 2,499g	1998	16.5	NA	16.0	15.8	15.2		-
	<1,500g	1998	250.0	NA	247.0	244.3	244.4		_
16-01d	Neonatal deaths (within first 28								
	days of life) (per 1,000 live		-						
	- ·- · · · · · · · · · · · · · · · · ·	1000		177		A C	4 F		
	births)	1998	4.8	NA	4.7	4.6	4.5		_
	Mother's race and ethnicity			÷					
	American Indian or Alaska Native	1998	5.0	NA	5.0	4.4	4.2	- - -	-
	Asian or Pacific Islander	1998	3.9	NA	3.2	3.4	3.1	-	-
	Asian	1998	3.6	NA	2.8	3.2	2.7		_
	Native Hawaiian or Other Pacific								
	Islander	1998	6 7	NA	4.5	5.8	3.5		_
	Black or African American	1998		NA	9.5	9.1	8.9		
									_
	White	1998		NA	3.9	3.8	3.8		-
	Hispanic or Latino	1998		NA	3.9	3.8	3.6		-
	Not Hispanic or Latino	1998	5.0	NA	4.9 .	4.8	4.7		-
	Black or African American, not								
	Hispanic/Latino	1998	9.4	NA	9.6	9.2	9.0		_
	White, not Hispanic or Latino	1998		NA	3.8	3.8	3.8		_
	Gender	1000	3.3	1472	3.0	3.0	5.0		
				177	4 0				
	Female	1998		NA	4.3	4.2	4.1		-
	Male	1998	5.2	NA	5.1	5.0	5.0		-
	Mother's Education level (aged 20								
	years and over)		• •						
•	Less than high school	1998	a\4.7	NA	4.7	4.6	4.5		_
	High school graduate	1998	a\5.0	NA	.4.9	4.8	4.7		_
	At least some college	1998		NA	3.7	3.6.	3.6		
	Mother's disability status	. 13,30	0.0		~··	J	J. 0		
	Mothers with disabilities	1998	DMC	177	DMC	DMC	DMC		
	·			NA	DNC	DNC	DNC		-
•		1998	DNC	NA	DNC	DNC	DNC		_
	Select populations								
	Mother's age groups								
	Mothers aged under 15 years	1998	12.6	NA	12.7	12.2	10.6		
1	Mothers aged 15 to 19 years	1998	6.1	NA	6.3	5.9	5.9		_
	Mothers aged 20 to 24 years	1998		NA	4.7	4.7	4.6		_
	Mothers aged 25 to 29 years	1998		NA	4.1	4.3	4.2		_
	Mothers aged 30 to 34 years	1998		NA	4.3	4.2	3.9		
									_
	Mothers aged 35 years and older	1998	5.∠	NA	5.1	4.8	5.1		-
	Birth weight								
	>2,499g	1998		NA	0.9	0.9	0.9		-
	>1,500 to 2,499g	1998	9.6	NA	9.3	9.3	8.8		-
	<1,500g	1998	221.5	NA	217.8	214.5	213.8		_
16-01e	Postneonatal deaths (between 28								
	days and 1 year) (per 1,000 live								
	births)	1998	2 4	NA	2.3	2.3	2.3		
	· · · · · ·	1990	2.4	IVA	۷.5	2.3	2.3		_
	Mother's race and ethnicity					• •			
	American Indian or Alaska Native		a\4.4	NA	4.3	3.9	5.4		-
	Asian or Pacific Islander	1998		NA	1.7	1.4	1.6		-
	Asian	1998	1.3	NA	1.5	1.3	1.5		-
	Native Hawaiian or Other Pacific								
	Islander	1998	3.3	ΝA	2.6	2,4	4.0		_
	Black or African American	1998		ΝA	4.5	4.3	4.4		_
	White	1998		NA	1.9	1.9	1.9		
		1220	2.0	TAXZ	1.5	1.9	1.0		_

http://wonder.cdc.gov/scripts/broker.exe

	Hispanic or Latino	1998	1.9	NA	1.8	1.8	1.8	 -
	Not Hispanic or Latino	1998		NA	2.4	2.4	2.4	 _
	Black or African American, not							
	Hispanic/Latino	1998	4 5	NA	4.6	4.4	4.5	 _
	White, not Hispanic or Latino	1998		NA	1.9	1.9	1.9	 _
	Gender	1990	2.0	NG	1.9	1.7	1.3	
		1000		177			0 1	
	Female	1998		AИ	2.0	2.0	2.1	 -
	Male	1998	2.6	NA	2.6	2.5	2.5	 -
	Mother's Education level (aged 20							
	years and over)							
	Less than high school	1998	a\3.4	NA	3.4	3.3	3.1	 -
	High school graduate	1998	a\2.5	NA	2.5	2.5	2.5	 _
	At least some college	1998	1.5	NA	1.4	1.4	1.4	 -
	Mother's disability status							
	Mothers with disabilities	1998	DNC	NA	DNC	DNC	DNC	 _
	Mothers without disabilities	1998		NA	DNC	DNC	DNC	 _
	Select populations	1000	Divo	1451	DIVO	DINC	DNC	
	Mother's age groups							
		1000	-\ E O	317		- c	E 4	
	Mothers aged under 15 years		a\5.9	NA	4.4	5.6	5.4	
	Mothers aged 15 to 19 years	1998		NA	3.9	3.9	4.0	 _
	Mothers aged 20 to 24 years	1998		NA	3.0	2.9	3.0	 -
	Mothers aged 25 to 29 years	1998		NA	1.9	1.8	1.9	 -
	Mothers aged 30 to 34 years	1998	1.6	NA	1.5	1.5	1.4	 -
	Mothers aged 35 years and older	1998	1.9	AK	1.8	1.8	1.8	 -
	Birth weight							
	>2,499g	1998	1.7	NΑ	1.6	1.6	1.6	 _
	>1,500 to 2,499g	1998		NA	6.6	6.5	6.4	 _
	<1,500g		28.5	NA	29.1	29.8	30.6	 _
	,	1000	20.0	1461	27.1	23.0	50.0	
16-01f	All Infant deaths (within 1 year)							
10 011								
	from birth defects (per 1,000 live	1000						
	births)	1999	a\1.4	NA	NA	1.4	1.4	 _
*	Mother's race and ethnicity							
	American Indian or Alaska Native		$a\1.8$	NA	NA	1.5	1.5	
	Asian or Pacific Islander	1999	$a \ 1.1$	NA	NA	1.2	1.1	 -
	Asian	1999	a\1.0	NA	NA	1.1	1.0	 -
	Native Hawaiian or Other Pacific							
	Islander	1999	a\DSU	NA	NA	DSU	DSU	 _
	Black or African American	1999	a\1.7	NA	NA ·	1.7	1.6	 _
	White		a\1.3	NA	NA	1.4	1.3	 _
	Hispanic or Latino		a\1.4	NA	NA	1.4	1.5	 _
	Not Hispanic or Latino		a\1.4	NA	NA	1.4	1.3	 _
	Black or African American, not	1000	a (1.3	LVZ	MA	T • 3	1.5	
	Hispanic/Latino	2000	-\1 7	3770	3.770	1 2	2 0	
			a\1.7	NA	NA	1.7	1.6	 -
	White, not Hispanic or Latino	1999	a\1.3	AИ	NA	1.3	1.3	 _
	Gender							
	Female		a\1.3	NA	NA	1.4	1.3	 -
	Male	1999	a\1.4	NA	NA	1.5	1.4	 -
	Mother's Education level (aged 20							
	years and over)							
	Less than high school	1999	a\1.7	NA	NA	1.7	1.6	 _
	High school graduate		a\1.4	NA	NA	1.5	1.4	 _
	At least some college		a\1.1	NА	ŅĄ	1.2	1.1	 _
	Disability status (of infant)		,		****		<u> </u>	
	Infants with disabilities	1999	ראוכ	NA	NA	DNC	DNC	 _
	Infants with disabilities Infants without disabilities							 _
	Turanca Michode disabilities	1999	DINC	NA	NA	DNC	DNC	 _
16-01-	All Infant double feature a							
10-01g	All Infant deaths (within 1 year)							
	<pre>from congenital heart defects (per 1,000 live births)</pre>	1000						
	iluuu live nirrnel	1444	$a \ 0.46$	NA	NA	0.45	0.43	 _
	2,000 1210 Bildio,	1333	•					

http://wonder.cdc.gov/scripts/broker.exe